



We drive variable printing

M16

050055
234523451018
50053

DPI
We drive variable printing

AaBbCc1234567 4pt
AaBbCc1234567 8pt
AaBbCc1234567 12pt
AaBbCc1234567 14pt
AaBbCc1234567 16pt
AaBbCc1234567 18pt
AaBbCc1234567 20pt
AaBbCc1234567 24pt
AaBbCc1234567 30pt
AaBbCc1234567 36pt
AaBbCc1234567 48pt
AaBbCc1234567 60pt
AaBbCc1234567 72pt
AaBbCc1234567 96pt
AaBbCc1234567 120pt
AaBbCc1234567 144pt
AaBbCc1234567 168pt
AaBbCc1234567 192pt
AaBbCc1234567 216pt
AaBbCc1234567 240pt
AaBbCc1234567 264pt
AaBbCc1234567 288pt
AaBbCc1234567 312pt
AaBbCc1234567 336pt
AaBbCc1234567 360pt
AaBbCc1234567 384pt
AaBbCc1234567 408pt
AaBbCc1234567 432pt
AaBbCc1234567 456pt
AaBbCc1234567 480pt
AaBbCc1234567 504pt
AaBbCc1234567 528pt
AaBbCc1234567 552pt
AaBbCc1234567 576pt
AaBbCc1234567 600pt
AaBbCc1234567 624pt
AaBbCc1234567 648pt
AaBbCc1234567 672pt
AaBbCc1234567 696pt
AaBbCc1234567 720pt
AaBbCc1234567 744pt
AaBbCc1234567 768pt
AaBbCc1234567 792pt
AaBbCc1234567 816pt
AaBbCc1234567 840pt
AaBbCc1234567 864pt
AaBbCc1234567 888pt
AaBbCc1234567 912pt
AaBbCc1234567 936pt
AaBbCc1234567 960pt
AaBbCc1234567 984pt
AaBbCc1234567 1008pt
AaBbCc1234567 1032pt
AaBbCc1234567 1056pt
AaBbCc1234567 1080pt
AaBbCc1234567 1104pt
AaBbCc1234567 1128pt
AaBbCc1234567 1152pt
AaBbCc1234567 1176pt
AaBbCc1234567 1200pt
AaBbCc1234567 1224pt
AaBbCc1234567 1248pt
AaBbCc1234567 1272pt
AaBbCc1234567 1296pt
AaBbCc1234567 1320pt
AaBbCc1234567 1344pt
AaBbCc1234567 1368pt
AaBbCc1234567 1392pt
AaBbCc1234567 1416pt
AaBbCc1234567 1440pt
AaBbCc1234567 1464pt
AaBbCc1234567 1488pt
AaBbCc1234567 1512pt
AaBbCc1234567 1536pt
AaBbCc1234567 1560pt
AaBbCc1234567 1584pt
AaBbCc1234567 1608pt
AaBbCc1234567 1632pt
AaBbCc1234567 1656pt
AaBbCc1234567 1680pt
AaBbCc1234567 1704pt
AaBbCc1234567 1728pt
AaBbCc1234567 1752pt
AaBbCc1234567 1776pt
AaBbCc1234567 1800pt
AaBbCc1234567 1824pt
AaBbCc1234567 1848pt
AaBbCc1234567 1872pt
AaBbCc1234567 1896pt
AaBbCc1234567 1920pt
AaBbCc1234567 1944pt
AaBbCc1234567 1968pt
AaBbCc1234567 1992pt
AaBbCc1234567 2016pt
AaBbCc1234567 2040pt
AaBbCc1234567 2064pt
AaBbCc1234567 2088pt
AaBbCc1234567 2112pt
AaBbCc1234567 2136pt
AaBbCc1234567 2160pt
AaBbCc1234567 2184pt
AaBbCc1234567 2208pt
AaBbCc1234567 2232pt
AaBbCc1234567 2256pt
AaBbCc1234567 2280pt
AaBbCc1234567 2304pt
AaBbCc1234567 2328pt
AaBbCc1234567 2352pt
AaBbCc1234567 2376pt
AaBbCc1234567 2400pt
AaBbCc1234567 2424pt
AaBbCc1234567 2448pt
AaBbCc1234567 2472pt
AaBbCc1234567 2496pt
AaBbCc1234567 2520pt
AaBbCc1234567 2544pt
AaBbCc1234567 2568pt
AaBbCc1234567 2592pt
AaBbCc1234567 2616pt
AaBbCc1234567 2640pt
AaBbCc1234567 2664pt
AaBbCc1234567 2688pt
AaBbCc1234567 2712pt
AaBbCc1234567 2736pt
AaBbCc1234567 2760pt
AaBbCc1234567 2784pt
AaBbCc1234567 2808pt
AaBbCc1234567 2832pt
AaBbCc1234567 2856pt
AaBbCc1234567 2880pt
AaBbCc1234567 2904pt
AaBbCc1234567 2928pt
AaBbCc1234567 2952pt
AaBbCc1234567 2976pt
AaBbCc1234567 3000pt
AaBbCc1234567 3024pt
AaBbCc1234567 3048pt
AaBbCc1234567 3072pt
AaBbCc1234567 3096pt
AaBbCc1234567 3120pt
AaBbCc1234567 3144pt
AaBbCc1234567 3168pt
AaBbCc1234567 3192pt
AaBbCc1234567 3216pt
AaBbCc1234567 3240pt
AaBbCc1234567 3264pt
AaBbCc1234567 3288pt
AaBbCc1234567 3312pt
AaBbCc1234567 3336pt
AaBbCc1234567 3360pt
AaBbCc1234567 3384pt
AaBbCc1234567 3408pt
AaBbCc1234567 3432pt
AaBbCc1234567 3456pt
AaBbCc1234567 3480pt
AaBbCc1234567 3504pt
AaBbCc1234567 3528pt
AaBbCc1234567 3552pt
AaBbCc1234567 3576pt
AaBbCc1234567 3600pt
AaBbCc1234567 3624pt
AaBbCc1234567 3648pt
AaBbCc1234567 3672pt
AaBbCc1234567 3696pt
AaBbCc1234567 3720pt
AaBbCc1234567 3744pt
AaBbCc1234567 3768pt
AaBbCc1234567 3792pt
AaBbCc1234567 3816pt
AaBbCc1234567 3840pt
AaBbCc1234567 3864pt
AaBbCc1234567 3888pt
AaBbCc1234567 3912pt
AaBbCc1234567 3936pt
AaBbCc1234567 3960pt
AaBbCc1234567 3984pt
AaBbCc1234567 4008pt
AaBbCc1234567 4032pt
AaBbCc1234567 4056pt
AaBbCc1234567 4080pt
AaBbCc1234567 4104pt
AaBbCc1234567 4128pt
AaBbCc1234567 4152pt
AaBbCc1234567 4176pt
AaBbCc1234567 4200pt
AaBbCc1234567 4224pt
AaBbCc1234567 4248pt
AaBbCc1234567 4272pt
AaBbCc1234567 4296pt
AaBbCc1234567 4320pt
AaBbCc1234567 4344pt
AaBbCc1234567 4368pt
AaBbCc1234567 4392pt
AaBbCc1234567 4416pt
AaBbCc1234567 4440pt
AaBbCc1234567 4464pt
AaBbCc1234567 4488pt
AaBbCc1234567 4512pt
AaBbCc1234567 4536pt
AaBbCc1234567 4560pt
AaBbCc1234567 4584pt
AaBbCc1234567 4608pt
AaBbCc1234567 4632pt
AaBbCc1234567 4656pt
AaBbCc1234567 4680pt
AaBbCc1234567 4704pt
AaBbCc1234567 4728pt
AaBbCc1234567 4752pt
AaBbCc1234567 4776pt
AaBbCc1234567 4800pt
AaBbCc1234567 4824pt
AaBbCc1234567 4848pt
AaBbCc1234567 4872pt
AaBbCc1234567 4896pt
AaBbCc1234567 4920pt
AaBbCc1234567 4944pt
AaBbCc1234567 4968pt
AaBbCc1234567 4992pt
AaBbCc1234567 5016pt
AaBbCc1234567 5040pt
AaBbCc1234567 5064pt
AaBbCc1234567 5088pt
AaBbCc1234567 5112pt
AaBbCc1234567 5136pt
AaBbCc1234567 5160pt
AaBbCc1234567 5184pt
AaBbCc1234567 5208pt
AaBbCc1234567 5232pt
AaBbCc1234567 5256pt
AaBbCc1234567 5280pt
AaBbCc1234567 5304pt
AaBbCc1234567 5328pt
AaBbCc1234567 5352pt
AaBbCc1234567 5376pt
AaBbCc1234567 5400pt
AaBbCc1234567 5424pt
AaBbCc1234567 5448pt
AaBbCc1234567 5472pt
AaBbCc1234567 5496pt
AaBbCc1234567 5520pt
AaBbCc1234567 5544pt
AaBbCc1234567 5568pt
AaBbCc1234567 5592pt
AaBbCc1234567 5616pt
AaBbCc1234567 5640pt
AaBbCc1234567 5664pt
AaBbCc1234567 5688pt
AaBbCc1234567 5712pt
AaBbCc1234567 5736pt
AaBbCc1234567 5760pt
AaBbCc1234567 5784pt
AaBbCc1234567 5808pt
AaBbCc1234567 5832pt
AaBbCc1234567 5856pt
AaBbCc1234567 5880pt
AaBbCc1234567 5904pt
AaBbCc1234567 5928pt
AaBbCc1234567 5952pt
AaBbCc1234567 5976pt
AaBbCc1234567 6000pt
AaBbCc1234567 6024pt
AaBbCc1234567 6048pt
AaBbCc1234567 6072pt
AaBbCc1234567 6096pt
AaBbCc1234567 6120pt
AaBbCc1234567 6144pt
AaBbCc1234567 6168pt
AaBbCc1234567 6192pt
AaBbCc1234567 6216pt
AaBbCc1234567 6240pt
AaBbCc1234567 6264pt
AaBbCc1234567 6288pt
AaBbCc1234567 6312pt
AaBbCc1234567 6336pt
AaBbCc1234567 6360pt
AaBbCc1234567 6384pt
AaBbCc1234567 6408pt
AaBbCc1234567 6432pt
AaBbCc1234567 6456pt
AaBbCc1234567 6480pt
AaBbCc1234567 6504pt
AaBbCc1234567 6528pt
AaBbCc1234567 6552pt
AaBbCc1234567 6576pt
AaBbCc1234567 6600pt
AaBbCc1234567 6624pt
AaBbCc1234567 6648pt
AaBbCc1234567 6672pt
AaBbCc1234567 6696pt
AaBbCc1234567 6720pt
AaBbCc1234567 6744pt
AaBbCc1234567 6768pt
AaBbCc1234567 6792pt
AaBbCc1234567 6816pt
AaBbCc1234567 6840pt
AaBbCc1234567 6864pt
AaBbCc1234567 6888pt
AaBbCc1234567 6912pt
AaBbCc1234567 6936pt
AaBbCc1234567 6960pt
AaBbCc1234567 6984pt
AaBbCc1234567 7008pt
AaBbCc1234567 7032pt
AaBbCc1234567 7056pt
AaBbCc1234567 7080pt
AaBbCc1234567 7104pt
AaBbCc1234567 7128pt
AaBbCc1234567 7152pt
AaBbCc1234567 7176pt
AaBbCc1234567 7200pt
AaBbCc1234567 7224pt
AaBbCc1234567 7248pt
AaBbCc1234567 7272pt
AaBbCc1234567 7296pt
AaBbCc1234567 7320pt
AaBbCc1234567 7344pt
AaBbCc1234567 7368pt
AaBbCc1234567 7392pt
AaBbCc1234567 7416pt
AaBbCc1234567 7440pt
AaBbCc1234567 7464pt
AaBbCc1234567 7488pt
AaBbCc1234567 7512pt
AaBbCc1234567 7536pt
AaBbCc1234567 7560pt
AaBbCc1234567 7584pt
AaBbCc1234567 7608pt
AaBbCc1234567 7632pt
AaBbCc1234567 7656pt
AaBbCc1234567 7680pt
AaBbCc1234567 7704pt
AaBbCc1234567 7728pt
AaBbCc1234567 7752pt
AaBbCc1234567 7776pt
AaBbCc1234567 7800pt
AaBbCc1234567 7824pt
AaBbCc1234567 7848pt
AaBbCc1234567 7872pt
AaBbCc1234567 7896pt
AaBbCc1234567 7920pt
AaBbCc1234567 7944pt
AaBbCc1234567 7968pt
AaBbCc1234567 7992pt
AaBbCc1234567 8016pt
AaBbCc1234567 8040pt
AaBbCc1234567 8064pt
AaBbCc1234567 8088pt
AaBbCc1234567 8112pt
AaBbCc1234567 8136pt
AaBbCc1234567 8160pt
AaBbCc1234567 8184pt
AaBbCc1234567 8208pt
AaBbCc1234567 8232pt
AaBbCc1234567 8256pt
AaBbCc1234567 8280pt
AaBbCc1234567 8304pt
AaBbCc1234567 8328pt
AaBbCc1234567 8352pt
AaBbCc1234567 8376pt
AaBbCc1234567 8400pt
AaBbCc1234567 8424pt
AaBbCc1234567 8448pt
AaBbCc1234567 8472pt
AaBbCc1234567 8496pt
AaBbCc1234567 8520pt
AaBbCc1234567 8544pt
AaBbCc1234567 8568pt
AaBbCc1234567 8592pt
AaBbCc1234567 8616pt
AaBbCc1234567 8640pt
AaBbCc1234567 8664pt
AaBbCc1234567 8688pt
AaBbCc1234567 8712pt
AaBbCc1234567 8736pt
AaBbCc1234567 8760pt
AaBbCc1234567 8784pt
AaBbCc1234567 8808pt
AaBbCc1234567 8832pt
AaBbCc1234567 8856pt
AaBbCc1234567 8880pt
AaBbCc1234567 8904pt
AaBbCc1234567 8928pt
AaBbCc1234567 8952pt
AaBbCc1234567 8976pt
AaBbCc1234567 9000pt
AaBbCc1234567 9024pt
AaBbCc1234567 9048pt
AaBbCc1234567 9072pt
AaBbCc1234567 9096pt
AaBbCc1234567 9120pt
AaBbCc1234567 9144pt
AaBbCc1234567 9168pt
AaBbCc1234567 9192pt
AaBbCc1234567 9216pt
AaBbCc1234567 9240pt
AaBbCc1234567 9264pt
AaBbCc1234567 9288pt
AaBbCc1234567 9312pt
AaBbCc1234567 9336pt
AaBbCc1234567 9360pt
AaBbCc1234567 9384pt
AaBbCc1234567 9408pt
AaBbCc1234567 9432pt
AaBbCc1234567 9456pt
AaBbCc1234567 9480pt
AaBbCc1234567 9504pt
AaBbCc1234567 9528pt
AaBbCc1234567 9552pt
AaBbCc1234567 9576pt
AaBbCc1234567 9600pt
AaBbCc1234567 9624pt
AaBbCc1234567 9648pt
AaBbCc1234567 9672pt
AaBbCc1234567 9696pt
AaBbCc1234567 9720pt
AaBbCc1234567 9744pt
AaBbCc1234567 9768pt
AaBbCc1234567 9792pt
AaBbCc1234567 9816pt
AaBbCc1234567 9840pt
AaBbCc1234567 9864pt
AaBbCc1234567 9888pt
AaBbCc1234567 9912pt
AaBbCc1234567 9936pt
AaBbCc1234567 9960pt
AaBbCc1234567 9984pt
AaBbCc1234567 10000pt

050051

M16
HAWK

Superior Variable Inkjet



MOBILE CART OPTION

The Best Variable System for 100s of Presses Worldwide

Finally, a UV inkjet system that fits perfectly on your press, vacuum conveyor, or rewinder and can now be made **PORTABLE!** Hawk M6 is the latest generation of high resolution DOD print technology from Digital Print, Inc. (DPi). The system is expandable from 2.1" to over 17" with multiple print heads.

The Hawk M6 uses Kyocera's or Ricoh's advanced print head technologies. These robust and reliable print heads are designed for a broad range of industrial and commercial printing applications. They easily support such applications as labels, forms, direct mail, tickets, gaming, promotions, tags, and pharma packaging.

At DPi we create a strategic bond between you and your customer through our latest innovations with variable data technology and our universal controller that will create a revenue stream for years to come!

APPLICATIONS

- TICKETS, TAGS & LABELING
- DIRECT MAIL ADDRESSING
- READ & PRINT / CARD ATTACHING
- VERSIONING
- FOIL APPLICATIONS
- PLASTIC CARD PRINTING
- PACKAGING
- SECURITY PRINTING
- PHARMACEUTICAL

Wide Inkjet Heads M6 ADVANTAGE

The system utilizes the latest 30 & 40 kHz print module with lightning fast data transfer and print speeds.

- One ink for coated (UV/AQ), non coated or plastic stocks
- Automated maintenance / service features
- Sharp crisp text and barcodes with 1200 dpi quality
- High capacity 5 liter & 20 liter ink supply
- Spot colors can be changed easily
- QPress™ software for minimizing your layout time
- Duplex print with our custom press mount
- Move system to a second press as needs change
- Modular / operator replaceable components





PRINT HEAD FEATURES

- 600 dpi across the head, (1200 to 200 dpi in direction of travel)
- Cover more than 17" of variable print with multiple head combinations
- Adjustable drop size and shaving for highest barcode readability
- UV curable or water based ink available
- Internal filters eliminate contaminants from the ink
- Internal heaters minimize the impact of external temperature changes
- Integrated Head cap and automated service mode reduce maintenance



VERSATILE / LOW COST UV INK

Inkjet print on a wide range of paper and coated gloss stocks at high production speeds. Virtually double your productivity on 11 x 6 self mailers or postcards by rotating the address and running long edge leading. Ink cost is nearly 90% less than using cartridge based systems. Contact DPi for a complete cost justification.



CUSTOM SOLUTIONS

Let our 30+ years of industry proven experience give you the competitive edge by providing a turnkey system designed specifically for your press. All systems include installation, custom press mounts, onsite training, and application support. Custom software programming is also available for unique applications.



INKJET CONTROL SYSTEM

- Standard Windows Based PC
- Interface to read and print system
- Initialize QPress, DPi legacy, or PDF jobs*
- System setup and service
- Monitor job progress
- Estimate ink usage



QPress LAYOUT SOFTWARE

Your more difficult job layouts are a snap with our user friendly software.

- Optimize layout for cut sheet or web
- Step and repeat tools built in
- Easily apply variable data, barcodes or graphics
- Numbering, barcoding, serialization
- Text, graphic, and barcode rotation
- Barcode shaving for improved quality (material with high dot gain)

TECHNICAL SPECIFICATIONS

How Wide?

2.1"
4.25"
8.69"
13.11"
17.54"

Combine multiple heads to match the width of transport or web

What Resolution and Speed?

Resolution	UV Ink	AQ Ink
600x900 dpi up to 166 fpm		225 fpm
600x600 dpi up to 250 fpm		335 fpm
600x450 dpi up to 333 fpm		445 fpm
600x300 dpi up to 500 fpm		667 fpm
600x200 dpi up to 750 fpm		1000 fpm
Drop Volume: adjustable 7, 11, 14		

How is it mounted?

Custom head mounts available to fit your press or transport

What Inks?

UV, Water Based, & Spot Colors

What can I print on?

Coated (UV or AQ) and uncoated paper, foil, Plastic, PVC, Chipboard

UV Curing

LED or UV Curing Lamps available with system purchase

Power Requirements

Hawk M6 110 to 220 VAC 50-60 Hz

Air Requirements

50psi minimum (clean/ dry)

Best Warranty

1 Year Parts / Labor
Free Lifetime Tech Support

Included Software & Controller

Windows Based PC
QPress Layout Software
Print Control Software
Optional PDF Software

Ink Delivery

5 liter to 20 liter supply
(Ink Dependent)

What Barcodes?

USPS IMB
USPS Postnet
USPS IMPB
UPC A
Code 128
Code 39 / 3 of 9
Interleaved 2 of 5
Data Matrix
Data Matrix GS1
Data Matrix / Harvest Mark
QR Code
Aztec
PDF 417
Codabar/NW-7
Code 93
RSS
EAN 13
EAN 8
SSCC 18
Custom Barcodes & Many More

 **Addresser
Based Systems**


Mailing & Printing Equipment Since 1962

3325 Harrison Avenue

Cincinnati, Ohio 45211-5638

1-800-398-5786

abs@addresserbasedsystems.com



Industry Leading QPress layout software

HM6111517 DPi strives to improve our products on a regular basis. We reserve the right to alter the design or specification without notice